

Profiler for StorageTek ACSLS

Simplified Reporting for Complicated Backup Environments

Row	Time	Host Name	Drive Name	Hour 0	Hour 1	Hour 2	Hour 3	Hour 4	Hour 5	Hour 6
1	03/04/2004 00:00:00	acsls for fitz	0,0,10,0	4 hour 192.168.164.20	14.9 minutes 192.168.164.20	1 hour 192.168.164.20	11.4 minutes 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20
2	03/04/2004 00:00:00	acsls for fitz	0,0,10,1	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	40.5 minutes 192.168.164.20	1 hour 192.168.164.20	16.5 minutes 192.168.164.20	34 minutes 192.168.164.20
3	03/04/2004 00:00:00	acsls for fitz	0,0,10,2	1 hour 192.168.164.20	10.5 minutes 192.168.164.20	1 hour 192.168.164.20	2 hours 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20
4	03/04/2004 00:00:00	acsls for fitz	0,0,10,3	1 hour 192.168.164.20	13.4 minutes 192.168.164.20	1 hour 192.168.164.20	56.7 minutes 192.168.164.20	25.7 minutes 192.168.164.20	24.5 minutes 192.168.164.20	1 hour 192.168.164.20
5	03/04/2004 00:00:00	acsls for fitz	0,0,10,4	30 minutes 192.168.164.20	1 hour 192.168.164.20	25.5 minutes 192.168.164.20	27.4 minutes 192.168.164.20	15.5 minutes 192.168.164.20	22.6 minutes 192.168.164.20	10 seconds 192.168.164.20
6	03/04/2004 00:00:00	acsls for fitz	0,0,10,5	2.2 minutes 192.168.164.20	5.3 minutes 192.168.164.20	5.5 minutes 192.168.164.20	1 hour 192.168.164.20	10.5 minutes 192.168.164.20	7.5 minutes 192.168.164.20	1 hour 192.168.164.20
7	03/04/2004 00:00:00	acsls for fitz	0,0,10,6	3.9 minutes 192.168.164.20	1 hour 192.168.164.20	3.2 minutes 192.168.164.20	1 hour 192.168.164.20	4.2 minutes 192.168.164.20	1 hour 192.168.164.20	16.3 minutes 192.168.164.20
8	03/04/2004 00:00:00	acsls for fitz	0,0,10,7	59 seconds 192.168.164.20	29.5 minutes 192.168.164.20	3.3 minutes 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20
9	03/04/2004 00:00:00	acsls for fitz	0,0,9,0	2.9 minutes 192.168.164.20	1 hour 192.168.164.20	30.9 minutes 192.168.164.20	22.9 minutes 192.168.164.20	11.1 minutes 192.168.164.20	18.5 minutes 192.168.164.20	1 hour 192.168.164.20
10	03/04/2004 00:00:00	acsls for fitz	0,0,9,1	25.3 minutes 192.168.164.20	1 hour 192.168.164.20	4.1 minutes 192.168.164.20	1 hour 192.168.164.20	2.6 minutes 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20
11	03/04/2004 00:00:00	acsls for fitz	0,0,9,2	25.2 minutes 192.168.164.20	1 hour 192.168.164.20	11.2 minutes 192.168.164.20	22 seconds 192.168.164.20	2.8 minutes 192.168.164.20	1 hour 192.168.164.20	41.4 minutes 192.168.164.20
12	03/04/2004 00:00:00	acsls for fitz	0,0,9,3	1 hour 192.168.164.20	13.9 minutes 192.168.164.20	23.9 minutes 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	21.7 minutes 192.168.164.20	1 minute 192.168.164.20
13	03/04/2004 00:00:00	acsls for fitz	0,0,9,4	14 minutes 192.168.164.20	10.1 minutes 192.168.164.20	2.5 minutes 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	42.9 minutes 192.168.164.20	1 hour 192.168.164.20
14	03/04/2004 00:00:00	acsls for fitz	0,0,9,6	24.3 minutes 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20
15	03/04/2004 00:00:00	acsls for fitz	0,0,9,7	4 minutes 192.168.164.20	14.1 minutes 192.168.164.20	7.6 minutes 192.168.164.20	2.4 minutes 192.168.164.20	17.9 minutes 192.168.164.20	1 hour 192.168.164.20	2.7 minutes 192.168.164.20
16	03/03/2004 00:00:00	acsls for fitz	0,0,10,0	1 hour 192.168.164.20	14.9 minutes 192.168.164.20	1 hour 192.168.164.20	11.4 minutes 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20
17	03/03/2004 00:00:00	acsls for fitz	0,0,10,1	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	40.5 minutes 192.168.164.20	1 hour 192.168.164.20	16.5 minutes 192.168.164.20	34 minutes 192.168.164.20
18	03/03/2004 00:00:00	acsls for fitz	0,0,10,2	1 hour 192.168.164.20	10.5 minutes 192.168.164.20	1 hour 192.168.164.20	2 hours 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20	1 hour 192.168.164.20

Profiler for StorageTek ACSLS offers simple reporting that allows administrators to quickly verify that all backups were successful and to act quickly if a problem arises.

KEY REPORTS

- Drive usage by backup server report -**
 Report on how much each server is using each drive
- Drive usage by drive report -** Report on how much each drive is utilized
- Drive usage summary report -** Illustrates hour-by-hour what drives were in use, for how long and what servers were using them
- Drives in use report -** Illustrates the number of drives used hour-by-hour

Centralized Web-Based View

Profiler for StorageTek ACSLS offers administrators a consistent web-based view of their tape drive libraries, identifying problems and bottlenecks. Additionally, Profiler for ACSLS' reports provide information that allows administrators to utilize their StorageTek Automated Cartridge Systems more effectively, allowing organizations to load balance their tape drives easier. Managers can quickly look at tape drive mounts and dismounts, giving them a quick evaluation of their tape drive utilization and performance.

Backup Monitoring Provides Quick, Accurate Data

Profiler for Backup offers monitoring of all backup jobs as they progress through the backup window. Profiler for Backup's enterprise-wide "Backup Console" provides storage managers with a quick and easy consolidated picture of all backups for a single day and summarizes the status of backups across the enterprise, including backup status, exceptions, size of backups and trending of backup size.

Save Time By Simplifying Report Consolidation

Storage Administrators can save hours each month compiling and sorting data with off-the-shelf reports. Reports can also be easily customized using a report wizard. Reports can be automatically emailed or published on a schedule.

Expands and Scales to Meet Future Needs

Profiler for ACSLS is a module of the Profiler Rx Suite. Whether you purchase multiple backup vendors or wish to monitor your DAS, NAS and SAN alongside tape drive data, the Profiler Rx solution modules are integrated and scalable for easy deployment.

TECHNICAL SPECIFICATIONS

Server Requirements
 Sun Microsystems Solaris
 Microsoft Windows 2000 Server or Professional
 Memory Needed: 512 MB
 Disk Space: 1 GB
 Console: Internet Explorer or Netscape/Mozilla

Support For:
 StorageTek ACSLS

For More Information

Tek-Tools, Inc.
 4020 McEwen Dr., Suite 105
 Dallas, TX 75244
 www.tek-tools.com

T: 1 888 835 8665
 E: contact@tek-tools.com

Profiler Rx is a trademark of Tek-Tools, Inc. All other trademarks in this document are the properties of their respective owners.